


Oil Pattern Distance	41	Reverse Brush Drop	41	Oil Per Board	50 ul
Forward Oil Total	12.75 mL	Reverse Oil Total	11.3 mL	Volume Oil Total	24.05 mL
Tank Configuration	Only A	Tank A Conditioner	ICE	Tank B Conditioner	FIRE

	START	STOP	LOADS	SPEED	CROSSED	START	END	FEET	T.OIL
1	2L	2R	2	10	74	0.0	1.4	1.4	3700
2	7L	7R	1	14	27	1.4	3.3	1.9	1350
3	10L	10R	3	14	63	3.3	9.2	5.9	3150
4	11L	11R	3	18	57	9.2	16.8	7.6	2850
5	12L	12R	2	18	34	16.8	21.9	5.1	1700
6	2L	2R	0	18	0	21.9	28.0	6.1	0
7	2L	2R	0	26	0	28.0	34.0	6.0	0
8	2L	2R	0	30	0	34.0	41.0	7.0	0

	START	STOP	LOADS	SPEED	CROSSED	START	END	FEET	T.OIL
1	2L	2R	0	30	0	41.0	34.0	-7.0	0
2	13L	13R	1	18	15	34.0	31.5	-2.5	750
3	12L	12R	2	18	34	31.5	26.4	-5.1	1700
4	11L	11R	2	18	38	26.4	21.3	-5.1	1900
5	10L	10R	2	18	42	21.3	16.2	-5.1	2100
6	9L	9R	1	18	23	16.2	13.7	-2.5	1150
7	2L	2R	2	14	74	13.7	9.8	-3.9	3700
8	2L	2R	0	10	0	9.8	0.0	-9.8	0



Cleaner Ratio Main Mix                      NA              Forward  
 Cleaner Ratio Back End Mix                NA              Reverse  
 Cleaner Ratio Back End Distance         NA              Combined  
 Buffer RPM: 4 = 720 | 3 = 500 | 2 = 200 | 1 = 5BNC

Item	3L-7L:18L-18R	8L-12L:18L-18R	13L-17L:18L-18R	18L-18R:17R-13R	18L-18R:12R-8R	18L-18R:7R-3R
Description	Outside Track:Middle	Middle Track:Middle	Inside Track:Middle	Middle: Inside Track	Middle:Middle Track	Middle:Outside Track
Track Zone Ratio	5	1.81	1	1	1.81	5

